

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	maintenance near system near12 set near rule	US-PGPUB; USPAT	OR	ON	2009/06/30 17:02
L2	2	1 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2009/06/30 17:03
L3	211	set near rule near4 schedul\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 17:08
L4	85	L3 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2009/06/30 17:08
L5	19832	schedul\$5.ab.	US-PGPUB; USPAT	OR	ON	2009/06/30 17:08
L6	0	L5 and L4 and classif\$5 near2 message	US-PGPUB; USPAT	OR	ON	2009/06/30 17:08
L7	0	L5 and L4 and classif\$5 near12 message	US-PGPUB; USPAT	OR	ON	2009/06/30 17:08
L8	11	L5 and L4 and classif\$5 and message	US-PGPUB; USPAT	OR	ON	2009/06/30 17:08
L12	567	prevent\$5 near3 access\$5 near12 updat\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 18:15
L13	9	12 and maintenance near system	US-PGPUB; USPAT	OR	ON	2009/06/30 18:16
L14	4	13 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2009/06/30 18:16
L15	2	14 and prevent near12 updat\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 18:21
L16	4	14 and prevent\$5 near12 updat\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 18:21
L17	4	14 and prevent\$5 and updat\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 18:22
L20	28936	709/203,206,217,219,220.ccls.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L21	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L22	3	classif\$8 near3 message same "before sending" near3 message near4 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L23	54	classif\$8 near3 message near3 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L24	20	L23 same server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L25	8	L23 with server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L26	24	L20 and L23	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

L27	14	classif\$8 near messages near2 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L28	13	L27 and updat\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L29	21	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L30	33	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L31	0	classif\$5 near3 messsage near12 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L32	54	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L33	0	L30 and L32	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L34	143	classif\$5 with message with client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L35	2	L30 and L34	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L36	595	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L37	4209	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L38	17	L36 and L37 and updat\$5	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L39	19	L36 and L37	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L40	9	L38 and client and server and request \$5 and classifi\$5	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L41	15	("5050066" "5195089" "5287453" "5335347" "5367673" "5367681").PN. OR ("5619697"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 19:04
L42	27905	classifi\$5 and updat\$5 and (client user) and server	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 19:04
L43	0	L41 and L42	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/30 19:04
L44	0	L41 and classifi\$5	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/30 19:04
L45	595	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L46	4209	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L47	17	L45 and L46 and updat\$5	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L48	0	"classifying messages on a client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

L49	0	"classified messages on a client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L50	0	"classified message on a client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L51	0	classif\$8 near message near on near client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L52	8	classif\$8 near message near client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L53	8	L52 and (client user) near12 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L54	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L55	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L56	1	L55 and classif\$8 near12 (client user)	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L57	36	classif\$5 near4 message near4 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L58	36	L57 and ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L59	21	L57 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L60	1	"6161130".pn.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L61	1	"6161130".pn. and classif\$5 near12 rule	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L62	1	L61 and rule	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L63	1	L60 and client near12 spam	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L64	1	L60 and client near12 classif\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L65	14	adjust\$5 near4 port near4 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L66	13	adjust\$5 near port with message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L67	1	monitor\$5 near12 port near12 classif \$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L68	30203	monitor\$5 near12 port	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L69	1	L68 with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L70	2	L68 same classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L71	2	L68 and L70 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L72	2	L71 and port	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L73	1	L72 and udp	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

L74	1	monitor\$5 with port with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L75	1265	monitor\$5 with port with message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L76	838	monitor\$5 near12 port near12 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L77	149	monitor\$5 near2 port near2 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L78	87	(rule policy) near3 classif\$5 near3 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L79	1190	monitor\$5 near2 message with server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L80	2	L79 and L78	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L81	2	("2005/0204001").URPN.	USPAT	OR	OFF	2009/06/30 19:04
L82	0	("2005/0091322").URPN.	USPAT	OR	OFF	2009/06/30 19:04
L83	26	port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L84	17	L83 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L85	8	adjust near port with message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L86	7	L85 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L87	0	"adjust a port"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L88	4612	(adjust\$5 near modif\$5 chang\$5) near port	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L89	50	L88 near2 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L90	1	L89 same classifi\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L91	1	L89 and classifi\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L92	4	L89 and classifi\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L93	28936	709/203,206,217,219,220.ccls.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L94	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L95	3	classif\$8 near3 message same "before sending" near3 message near4 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L96	54	classif\$8 near3 message near3 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L97	20	L96 same server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

L98	8	L96 with server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L99	24	L93 and L96	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L100	14	classif\$8 near messages near2 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L101	13	L100 and updat\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L102	21	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L103	33	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L104	0	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L105	54	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L106	0	L103 and L105	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L107	143	classif\$5 with message with client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L108	2	L103 and L107	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L109	595	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L110	4209	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L111	17	L109 and L110 and updat\$5	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L112	19	L109 and L110	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L113	9	L111 and client and server and request\$5 and classifi\$5	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L114	15	("5050066" "5195089" "5287453" "5335347" "5367673" "5367681").PN. OR ("5619697"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 19:04
L115	27905	classifi\$5 and updat\$5 and (client user) and server	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 19:04
L116	0	L114 and L115	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/30 19:04
L117	0	L114 and classifi\$5	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/30 19:04
L118	595	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L119	4209	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04

L120	17	L118 and L119 and updat\$5	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L121	0	"classifying messages on a client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L122	0	"classified messages on a client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L123	0	"classified message on a client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L124	0	classif\$8 near message near on near client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L125	8	classif\$8 near message near client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L126	8	L125 and (client user) near12 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L127	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L128	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L129	1	L128 and classif\$8 near12 (client user)	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L130	36	classif\$5 near4 message near4 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L131	36	L130 and ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L132	21	L130 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L133	1	"6161130".pn.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L134	1	"6161130".pn. and classif\$5 near12 rule	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L135	1	L134 and rule	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L136	1	L133 and client near12 spam	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L137	1	L133 and client near12 classif\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L138	14	adjust\$5 near4 port near4 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L139	13	adjust\$5 near port with message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L140	1	monitor\$5 near12 port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L141	30203	monitor\$5 near12 port	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L142	1	L141 with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L143	2	L141 same classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L144	2	L141 and L143 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

L145	2	L144 and port	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L146	1	L145 and udp	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L147	1	monitor\$5 with port with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L148	1265	monitor\$5 with port with message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L149	838	monitor\$5 near12 port near12 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L150	149	monitor\$5 near2 port near2 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L151	87	(rule policy) near3 classif\$5 near3 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L152	1190	monitor\$5 near2 message with server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L153	2	L152 and L151	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L154	2	("2005/0204001").URPN.	USPAT	OR	OFF	2009/06/30 19:04
L155	0	("2005/0091322").URPN.	USPAT	OR	OFF	2009/06/30 19:04
L156	26	port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L157	17	L156 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L158	8	adjust near port with message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L159	7	L158 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L160	0	"adjust a port"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L161	4612	(adjust\$5 near modif\$5 chang\$5) near port	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L162	50	L161 near2 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L163	1	L162 same classifi\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L164	1	L162 and classifi\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L165	4	L162 and classifi\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L166	0	classif\$8 near message near4 "at the client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L167	31	classif\$8 near message near4 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L168	16	L167 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L169	5	L168 and classif\$8 near12 client near12 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

L170	14	L168 and classif\$8 and client near12 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L171	11	("20020083175" "20020198950" "20040148358" "20040181581" "6195698" "6199102" "6321267" "6546416" "6691156" "7213260" "7249175").PN. OR ("7398315"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 19:04
L172	1	L171 and classif\$8 near6 client and server near12 client	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 19:04
L173	2	L171 and classif\$8 near6 client and server near12 client	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/30 19:04
L174	31	classif\$8 near message near4 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L175	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L176	0	"2003152035"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L177	2402	(dunigan elleson berthold heisig).inv.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L178	3	L177 and classif\$5 near12 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L179	8	"20030152035" "20020078192" "20020083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L180	1	"20020078192"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L181	3	L179 and classif\$5 near12 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L182	1	"7299261".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/30 19:04
L183	29	L174 and client and server and client near12 classif\$8 and client near412 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L184	21	L183 and (policy rule)	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L185	22	L183 and (compar\$5 pars\$5)	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L186	28936	709/203,206,217,219,220.ccls.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L187	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L188	3	classif\$8 near3 message same "before sending" near3 message near4 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L189	54	classif\$8 near3 message near3 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L190	20	L189 same server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

L191	8	L189 with server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L192	24	L186 and L189	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L193	14	classif\$8 near messages near2 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L194	13	L193 and updat\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L195	21	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L196	33	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L197	0	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L198	54	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L199	0	L196 and L198	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L200	143	classif\$5 with message with client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L201	2	L196 and L200	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L202	595	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L203	4209	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L204	17	L202 and L203 and updat\$5	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L205	19	L202 and L203	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L206	9	L204 and client and server and request\$5 and classifi\$5	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L207	15	("5050066" "5195089" "5287453" "5335347" "5367673" "5367681").PN. OR ("5619697"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 19:04
L208	27905	classifi\$5 and updat\$5 and (client user) and server	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 19:04
L209	0	L207 and L208	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/30 19:04
L210	0	L207 and classifi\$5	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/30 19:04
L211	595	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L212	4209	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04

L213	17	L211 and L212 and updat\$5	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L214	0	"classifying messages on a client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L215	0	"classified messages on a client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L216	0	"classified message on a client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L217	0	classif\$8 near message near on near client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L218	8	classif\$8 near message near client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L219	8	L218 and (client user) near12 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L220	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L221	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L222	1	L221 and classif\$8 near12 (client user)	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L223	36	classif\$5 near4 message near4 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L224	36	L223 and ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L225	21	L223 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L226	1	"6161130".pn.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L227	1	"6161130".pn. and classif\$5 near12 rule	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L228	1	L227 and rule	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L229	1	L226 and client near12 spam	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L230	1	L226 and client near12 classif\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L231	14	adjust\$5 near4 port near4 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L232	13	adjust\$5 near port with message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L233	1	monitor\$5 near12 port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L234	30203	monitor\$5 near12 port	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L235	1	L234 with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L236	2	L234 same classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L237	2	L234 and L236 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

L238	2	L237 and port	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L239	1	L238 and udp	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L240	1	monitor\$5 with port with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L241	1265	monitor\$5 with port with message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L242	838	monitor\$5 near12 port near12 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L243	149	monitor\$5 near2 port near2 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L244	87	(rule policy) near3 classif\$5 near3 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L245	1190	monitor\$5 near2 message with server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L246	2	L245 and L244	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L247	2	("2005/0204001").URPN.	USPAT	OR	OFF	2009/06/30 19:04
L248	0	("2005/0091322").URPN.	USPAT	OR	OFF	2009/06/30 19:04
L249	26	port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L250	17	L249 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L251	8	adjust near port with message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L252	7	L251 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L253	0	"adjust a port"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L254	4612	(adjust\$5 near modif\$5 chang\$5) near port	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L255	50	L254 near2 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L256	1	L255 same classifi\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L257	1	L255 and classifi\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L258	4	L255 and classifi\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L259	28936	709/203,206,217,219,220.ccls.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L260	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L261	3	classif\$8 near3 message same "before sending" near3 message near4 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

L262	54	classif\$8 near3 message near3 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L263	20	L262 same server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L264	8	L262 with server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L265	24	L259 and L262	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L266	14	classif\$8 near messages near2 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L267	13	L266 and updat\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L268	21	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L269	33	(classif\$8 and message and updat\$5). ab.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L270	0	classif\$5 near3 messsage near12 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L271	54	classif\$5 near3 message near12 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L272	0	L269 and L271	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L273	143	classif\$5 with message with client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L274	2	L269 and L273	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L275	595	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L276	4209	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L277	17	L275 and L276 and updat\$5	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L278	19	L275 and L276	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L279	9	L277 and client and server and request\$5 and classifi\$5	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L280	15	("5050066" "5195089" "5287453" "5335347" "5367673" "5367681").PN. OR ("5619697"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 19:04
L281	27905	classifi\$5 and updat\$5 and (client user) and server	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 19:04
L282	0	L280 and L281	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/30 19:04
L283	0	L280 and classifi\$5	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/30 19:04

L284	595	classifi\$6 near messages	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L285	4209	monitor\$5 near message	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L286	17	L284 and L285 and updat\$5	US-PGPUB; USPAT	OR	OFF	2009/06/30 19:04
L287	0	"classifying messages on a client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L288	0	"classified messages on a client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L289	0	"classified message on a client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L290	0	classif\$8 near message near on near client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L291	8	classif\$8 near message near client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L292	8	L291 and (client user) near12 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L293	1	"20050091322"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L294	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L295	1	L294 and classif\$8 near12 (client user)	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L296	36	classif\$5 near4 message near4 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L297	36	L296 and ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L298	21	L296 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L299	1	"6161130".pn.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L300	1	"6161130".pn. and classif\$5 near12 rule	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L301	1	L300 and rule	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L302	1	L299 and client near12 spam	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L303	1	L299 and client near12 classif\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L304	14	adjust\$5 near4 port near4 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L305	13	adjust\$5 near port with message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L306	1	monitor\$5 near12 port near12 classif \$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L307	30203	monitor\$5 near12 port	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L308	1	L307 with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

L309	2	L307 same classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L310	2	L307 and L309 and classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L311	2	L310 and port	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L312	1	L311 and udp	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L313	1	monitor\$5 with port with classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L314	1265	monitor\$5 with port with message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L315	838	monitor\$5 near12 port near12 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L316	149	monitor\$5 near2 port near2 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L317	87	(rule policy) near3 classif\$5 near3 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L318	1190	monitor\$5 near2 message with server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L319	2	L318 and L317	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L320	2	("2005/0204001").URPN.	USPAT	OR	OFF	2009/06/30 19:04
L321	0	("2005/0091322").URPN.	USPAT	OR	OFF	2009/06/30 19:04
L322	26	port near12 classif\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L323	17	L322 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L324	8	adjust near port with message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L325	7	L324 and @ad<"20031028"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L326	0	"adjust a port"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L327	4612	(adjust\$5 near modif\$5 chang\$5) near port	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L328	50	L327 near2 message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L329	1	L328 same classifi\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L330	1	L328 and classifi\$5 near message	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L331	4	L328 and classifi\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L332	0	classif\$8 near message near4 "at the client"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L333	31	classif\$8 near message near4 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

L334	16	L333 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L335	5	L334 and classif\$8 near12 client near12 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L336	14	L334 and classif\$8 and client near12 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L337	11	("20020083175" "20020198950" "20040148358" "20040181581" "6195698" "6199102" "6321267" "6546416" "6691156" "7213260" "7249175").PN. OR ("7398315"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 19:04
L338	1	L337 and classif\$8 near6 client and server near12 client	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 19:04
L339	2	L337 and classif\$8 near6 client and server near12 client	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/30 19:04
L340	31	classif\$8 near message near4 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L341	1	"2003152035" "2002078192" "2002083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L342	0	"2003152035"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L343	2402	(dunigan elleson berthold heisig).inv.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L344	3	L343 and classif\$5 near12 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L345	8	"20030152035" "20020078192" "20020083214" "6101541".pn.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L346	1	"20020078192"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L347	3	L345 and classif\$5 near12 client	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L348	1	"7299261".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2009/06/30 19:04
L349	29	L340 and client and server and client near12 classif\$8 and client near412 server	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L350	21	L349 and (policy rule)	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L351	22	L349 and (compar\$5 pars\$5)	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L352	1	periodical\$5 near12 broadcast\$5 near12 updat\$5 near12 set near rule	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L353	13	broadcast\$5 near12 updat\$5 near12 set near rule	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L354	6	L353 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

L355	5	set near rule near3 updat\$5 and L354	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L356	5	set near rule near6 updat\$5 and L354	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L357	5	set near rule near12 updat\$5 and L354	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L358	422	set near rule near12 schedul\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L359	10	(set near rule near12 schedul\$5).ab.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L360	38	(set near rule and schedul\$5).ab.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L361	21	L360 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L362	2	L359 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L363	182	L358 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L364	41188	set near rule near4schedul\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L365	211	set near rule near4 schedul\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L366	85	L3 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L367	19832	schedul\$5.ab.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L368	41	L5 and L4	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L369	337	updat\$5 near12 set near rule near12 (data time)	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L370	133	updat\$5 near12 set near rule near12 (date time)	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L371	4	updat\$5 near12 set near rule near12 (date and time)	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L372	2	L371 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L373	37	updat\$5 near12 set near rule same schedul\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L374	14	L373 and @ad<"20031027"	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L375	12636	(time and date) near12 updat\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L376	5	L375 and (classif\$5 and message).ab.	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04
L377	2	L362 and schedul\$5	US-PGPUB; USPAT	OR	ON	2009/06/30 19:04

6/ 30/ 09 7:10:20 PM

C:\ Documents and Settings\ esall\ My Documents\ EAST\ Workspaces\ 694141.wsp